

Safety Data Sheet Chlorine

An Iwatani Company

www.advancedspecialtygases.com

Section 1: Product and Company Identification

Advanced Specialty Gases

135 Catron Dr. Reno, NV 89512 775-356-5500

IN CASE OF EMERGENCY CALL CHEMTREC: 1-800-424-9300

Product Code: Chlorine

Section 2: Hazards Identification



Hazard Classification:

Acute Aquatic Toxicity (Category 1) Acute Gas Inhale Toxicity (Category 2) Corrosive To Metal (Category 1) Eye Effects (Category 2.A) Gases Under Pressure Oxidizing Gas (Category 1) Skin Corrosion (Category 2) Specific target organ toxicity (Single Exposure) (Category 3)

Hazard Statements:

Causes serious eye irritation Causes skin irritation Contains gas under pressure; may explode if heated Fatal if inhaled May be corrosive to metals May cause or intensify fire; oxidizer May cause respiratory irritation; Very toxic to aquatic life

Precautionary Statements

Prevention:

Wash thoroughly after handling.

Wear eye protection/face protection.

[In case of inadequate ventilation] wear respiratory protection.

Keep and store away from clothing and combustible materials.

Do not breathe dust/fume/gas/mist/ vapors/spray...

Keep reduction valves/valves and fittings free from oil and grease.

Use only outdoors or in a well-ventilated area.

Keep only in original container.

Advanced Specialty Gases

page 1 of 5

Generated by the SDS Manager from AsteRisk, LLC. All Rights Reserved

Response:

Immediately call a poison center or doctor. If on skin: Wash with plenty of water. In case of fire: Stop leak if safe to do so. Absorb spillage to prevent material damage.

Specific treatment is urgent.

If swallowed: Rinse mouth. Do NOT induce vomiting. Take off contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If inhaled: Remove person to fresh air and keep comfortable for breathing.

Store in a well-ventilated place. Keep container tightly closed.

Protect from sunlight.

Store locked up.

Store in corrosive resistant container with a resistant inner liner.

Dispose of contents and/or container in accordance with applicable regulations.

Section 3: Composition/Information on Ingredients

CAS# 7782-50-5

Chemical Substance	Chemical Family	Trade Names
CHLORINE	Halogens	CHLORINE MOLECULAR; DIATOMIC CHLORINE; DICHLORINE; MOLECULAR CHLORINE; UN 1017; CI2

Section 4: First Aid Measures

Skin Contact	Eye Contact	Ingestion	Inhalation	Note to Physicians
Wash skin with soap and water for at least 15 minutes while removing contaminated clothing and shoes. Get immediate medical attention. Thoroughly clean and dry contaminated clothing before reuse. Destroy contaminated shoes.	Immediately flush eyes with plenty of water for at least 15 minutes. Then get immediate medical attention.	Not likely route of exposure.	If adverse effects occur, remove to uncontaminated area. Give artificial respiration if not breathing. If breathing is difficult, oxygen should be administered by qualified personnel. Get immediate medical attention.	For inhalation, consider oxygen. Avoid gastric lavage or emesis.

Section 5: Fire Fighting Measures

Suitable Extinguishing Media	Products of Combustion	Protection of Firefighters
Non-flammable. Use appropriate extinguishing media for surrounding fire.	Non-flammable	 Full-body encapsulating chemical protective suit with positive pressure self-contained breathing apparatus Non-flammable.

Advanced Specialty Gases page 2 of 5 Date of Preparation: 02/10/2025 17:23:19

Section 6: Accidental Release Measures

Personal Precautions	Environmental Precautions	Methods for Containment
Keep unnecessary people away, isolate hazard area and deny entry. Ventilate closed spaces before entering. Evacuate area and downwind locations.	Avoid contact with combustible materials.	Stop leak if possible without personal risk. Reduce vapors with water spray. Dig holding area such as lagoon, pond or pit for containment. Trap spilled material at bottom in deep water pockets, excavated holding areas or within sand bag barriers.

Methods for Cleanup	Other Information
Collect runoff for disposal as potential hazardous waste. Dike for later	Notify Local Emergency Planning Committee and State
disposal. Absorb with sand or other non-combustible material. Add an alkaline	Emergency Response Commission for release greater than or
material (lime, crushed limestone, sodium bicarbonate, or soda ash). Add an	equal to RQ (U.S. SARA Section 304). If release occurs in the
alkaline material (lime, crushed limestone, sodium bicarbonate, or soda ash).	U.S. and is reportable under CERCLA Section 103, notify the
Absorb with activated carbon. Collect spilled material using mechanical	National Response Center at (800)424-8802 (USA) or (202)426-
equipment.	2675 (USA).

Section 7: Handling and Storage

Handling	Storage
Notify State Emergency Response Commission for storage or use at amounts	Store and handle in accordance with all current regulations
greater than or equal to the TPQ (U.S. EPA SARA Section 302). SARA Section 303 requires facilities storing a material with a TPQ to participate in local emergency	and standards. Protect from physical damage. Keep separated from incompatible substances. Store outside or
response planning (U.S. EPA 40 CFR 355.30).	in a detached building.

Section 8: Exposure Controls/Personal Protection

Exposure Guidelines

CHLORINE: 1 ppm (3 mg/m3) OSHA ceiling 0.5 ppm (1.5 mg/m3) OSHA TWA (vacated by 58 FR 35338, June 30, 1993) 1 ppm (3 mg/m3) OSHA STEL (vacated by 58 FR 35338, June 30, 1993) 0.5 ppm ACGIH TWA 1 ppm ACGIH STEL 0.5 ppm (1.45 mg/m3) NIOSH recommended ceiling 15 minute(s)

Engineering Controls

Handle only in fully enclosed systems

Tidridic orly in fally cholosed systems.	Handle only in fally cholosed systems.								
Eye Protection	Skin Protection	Respiratory Protection							
Wear splash resistant safety goggles with a face shield. Provide	Wear appropriate	Full-body encapsulating chemical protective suit							
an emergency eye wash fountain and quick drench shower in the	chemical resistant	with positive pressure self-contained breathing							
immediate work area.	clothing.	apparatus							

General Hygiene considerations

- Avoid breathing vapor or mist
- Avoid contact with eyes and skin
- Wash thoroughly after handling and before eating or drinking

Section 9: Physical and Chemical Properties

Physical State	Appearance	Color	Change in Appearance	Physical Form	Odor	Taste
Gas	Yellow or green	Yellow or green	N/A	Gas	Distinct odor, irritating odor	N/A

Flash Point	Flammability	Partition Coefficient	Autoignition Temperature	Upper Explosive Limits	Lower Explosive Limits
Not combustible (does not burn). However, chlorine is a strong oxidizing agent and is a serious fire risk.	Not available	Not available	Not available	Not available	Not available

Boiling	Freezing	Vapor	Vapor	Specific	Water	рН	Odor	Evaporation	Viscosity
Point	Point	Pressure	Density	Gravity	Solubility		Threshold	Rate	

Advanced Specialty Gases
Generated by the SDS Manager from AsteRisk, LLC. All Rights Reserved

page 3 of 5

Date of Preparation: 02/10/2025 17:23:19

Boiling Point	Freezing Point	Vapor Pressure	Vapor Density	Specific Gravity	Water Solubility	рH	Odor Threshold	Evaporation Rate	Viscosity
-29.1 F	-150 F (-	5168	2.49	Not	1.46% @	Not	0.01 ppm	Not	0.01327
(-33.97	101 C)	mmHg @	(Air=1)	applicable	0 C	applicable		applicable	cP @ 20
C)		21 C							С

Molecular Weight	Molecular Formula	Density	Weight per Gallon	Volatility by Volume	Volatility	Solvent Solubility
70.906	Cl2	3.214 g/L @ 0 C	Not available	100%	Not applicable	Soluble: Alkali

Section 10: Stability and Reactivity

Stability	Conditions to Avoid	Incompatible Materials
Stable at normal temperatures and pressure. It reacts with water to form a weak, highly corrosive solutions of hydrochloric acid and hypochlorous acid, which can decompose to hydrochloric acid and oxygen.	Stable at normal temperatures and pressure. It reacts with water to form a weak, highly corrosive solutions of hydrochloric acid and hypochlorous acid, which can decompose to hydrochloric acid and oxygen.	Combustible materials, bases, metals, halogens, metal salts, reducing agents, amines, metal carbide, metal oxides, oxidizing materials, halo carbons, acids

Hazardous Decomposition Products	Possibility of Hazardous Reactions
Corrosive hydrogen chloride, hydrochloric acid and hypochlorous acid.	Will not polymerize.

Section 11: Toxicology Information

Acute Effects

Oral LD50	Dermal LD50	Inhalation
0.86 mg/L (1 hr-	Not	Burns, chest pain, difficulty breathing, headache, dizziness, hyperactivity, emotional disturbances, bluish skin
Rat)	available	color, lung damage, death

Eye Irritation	Skin Irritation	Sensitization
Burns	Burns	Acute toxicity, Category 2, inhalation; H330: Fatal if inhaled. Skin irritation, Category 2; H315: Causes skin irritation. Eye irritation, Category 2; H319: Causes serious eye irritation. Specific Target Organ Toxicity (single exposure), Category 3; H335: May cause respiratory irritation.

Chronic Effects

Carcinogenicity	Mutagenicity	Reproductive Effects	Developmental Effects
ACGIH: A4 -Not Classifiable as a Human Carcinogen	Available.	Available.	No data

Section 12: Ecological Information

Fate and Transport

Eco toxicity	Persistence / Degradability	Bioaccumulation / Accumulation	Mobility in Environment
Fish toxicity: LC50 Fathead minnow: 0.07 to 0.15 (96 hour); 390 ug/L 96 hour(s) LC50 (Mortality) Orangethroat darter (Etheostoma spectabile) Invertibrate toxicity: 637.5 ug/L 1 hour(s) LC50 (Mortality) Pacific oyster (Crassostrea gigas) Algal toxicity: 50-1000 ug/L 23 hour(s) (Population) Algae,phytoplankton,algal mat (Algae) Phyto toxicity: Not available Other toxicity: 20 ug/L 96 day(s) (Growth) Watermilfoil (Myriophyllum spicatum)	The atmospheric half-life and lifetime of this material due to photolysis is estimated at 10 and 14 minutes, respectively. The half-life of free resid	Not expected	Not available

Section 13: Disposal Considerations

Subject to disposal regulations: U.S. EPA 40 CFR 262. Hazardous Waste Number(s): D001. Dispose in accordance with all applicable regulations.

Section 14: Transportation Information

U.S. DOT 49 CFR 172.101

Proper Shipping Name	ID Number	Hazard Class or Division	Packing Group	Labeling Requirements	Passenger Aircraft or Railcar Quantity Limitations	Cargo Aircraft Only Quantity Limitations	Additional Shipping Description
Chlorine	UN1017	2.3	Not applicable	2.3; 8	Forbidden	Forbidden	Toxic-Inhalation Hazard Zone B

Canadian Transportation of Dangerous Goods

			3
Shipping Name	UN Number	Class	Packing Group / Risk Group
Chlorine	UN1017	2.3; 8	Not applicable

Section 15: Regulatory Information

U.S. Regulations

)			
CERCLA Sections	SARA 355.30	SARA 355.40	
10 LBS RQ	100 LBS TPQ	10 LBS RQ	

SARA 370.21

Acute	Chronic	Fire	Reactive	Sudden Release
Yes	No	No	No	Yes

SARA 372.65

CHLORINE

OSHA Process Safety

1500 LBS TQ

State Regulations

CA Proposition 65
Not regulated.

Canadian Regulations

WHMIS Classification A, D1A, E

National Inventory Status

US Inventory (TSCA)	TSCA 12b Export Notification	Canada Inventory (DSL/NDSL)	
Listed on inventory.	Not listed.	Not determined.	

Section 16: Other Information

NFPA Rating

HEALTH=4 FIRE=0 REACTIVITY=0 SPECIAL=OX

0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard